Health Profile 2010

West Dorset

This profile gives a picture of health in this area. It is designed to help local government and health services improve people's health and reduce health inequalities.

Health Profiles are produced every year by the Association of Public Health Observatories.

Visit the Health Profiles website to:

- see profiles for other areas
- use interactive maps
- find more detailed information

www.healthprofiles.info



Based on Ordnance Survey material. © Crown Copyright. All rights reserved. DH 100020290 2010. Other map data © Collins Bartholomew.

Population 97,200

Mid-2008 population estimate Source: National Statistics website: www.statistics.gov.uk








- The health of people in West Dorset is generally good. West Dorset has low levels of deprivation when compared to England as a whole. Life expectancy for men and women is above the England average.
- There are inequalities within West Dorset. Women in the most deprived areas live almost 5 years less than women in the least deprived areas.
- The early death rates from heart disease and stroke and from cancer are better than the England average.
- Estimated rates of smoking, healthy eating and obesity in adults are better than the England average.
- The percentage of women smoking in pregnancy is worse than the England average with almost 1 in 5 smoking whilst pregnant. The rate of breastfeeding initiation is better than for England as a whole.
- The proportion of children who take part in at least 3 hours of school sport a week is better than the England average, as is the proportion of Reception year children who are classified as obese.
- The rate of malignant melanoma skin cancer is worse than the England average.
- The Dorset Local Area Agreement has prioritised tackling levels of physical activity, smoking and tobacco control, healthy weight, alcohol misuse and teenage pregnancy.
- For further information, refer to the Annual Public Health Report at www.dorset-pct.nhs.uk or www.dorsetforyou.com




Deprivation: a national view

This map shows differences in deprivation levels in this area based on national quintiles (of the Index of Multiple Deprivation 2007 by Lower Super Output Area). The darkest coloured areas are some of the most deprived areas in England. This chart shows the percentage of the population in England, this region, and this area who live in each of these quintiles.



Health inequalities: a local view

This map shows differences in deprivation levels in this area based on local quintiles (of the Index of Multiple Deprivation 2007 by Lower Super Output Area). The darkest coloured areas are the most deprived in this area. This chart shows the life expectancy at birth for males and females (2004-2008) for each of the quintiles in this area.



95

www.healthprofiles.info

© Crown Copyright 2010

Health inequalities: changes over time


These graphs show how changes in death rates for this area compare with changes for the whole of England. Data points on the graph are mid-points of 3-year averages of yearly rates. For example the dot labelled 2003 represents the 3-year period 2002 to 2004.


Trend 1 compares rates of death, at all ages and from all causes, in this area with those for England.

Trend 2 compares rates of early death from heart disease and stroke (in people under 75) in this area with those for England.

Trend 3 compares rates of early death from cancer (in people under 75) in this area with those for England.

Trend 2: Early death rates from heart disease and stroke






Health inequalities: ethnicity

Age-standardised rate/100,000

This chart shows the percentage of pupils by ethnic group in this area who achieved five GCSEs in 2008/09 (A* to C grades including English and Maths). Comparing results may help find possible inequalities between ethnic groups.






Ethnic Groups	% pupils achieved grades	No. of pupils achieved grades	
White	65.5	863	
Mixed	65.2	15	
Asian			
Black			
Chinese/other			

If there are any empty cells in the table this is because data has not been presented where the calculation involved pupil numbers of 0, 1 or 2. Some further groups may not have data presented in order to prevent counts of small numbers being calculated from values for other ethnic groups or areas.

All age, all cause mortality

Trend 1:



West Dorset

Females: - England

Trend 3:

Early death rates from cancer

Health summary for West Dorset

The chart below shows how the health of people in this area compares with the rest of England. This area's result for each indicator is shown as a circle. The average rate for England is shown by the red line, which is always at the centre of the chart. The range of results for all local areas in England is shown as a grey bar. A red circle means that this area is significantly worse than England for that indicator; however, a green circle may still indicate an important public health problem.

England Regional average+

- Significantly worse than England average
- O Not significantly different from England average
- Significantly better than England average
- O No significance can be calculated

WOISt	25th	75th	Desi
	Percentile	Percentile	
1 · · · · · ·			

England Average

⁺ In the South East Region this represents the Strategic Health Authority average

Domain	Indicator	Local No. Per Year	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Our communities	1 Deprivation	0	0.0	19.9	89.2	$\diamond \diamond$	0.0
	2 Children in poverty	2181	13.0	22.4	66.5	$\diamond \circ$	6.0
	3 Statutory homelessness	40	0.91	2.48	9.37	$\diamond \circ$	0.00
	4 GCSE achieved (5A*-C inc. Eng & Maths)	889	65.1	50.9	32.1	\diamond	76.1
	5 Violent crime	829	8.5	16.4	36.6	\diamond	4.8
	6 Carbon emissions	781	8.0	6.8	14.4	0 🔷	4.1
Children's and young people's health	7 Smoking in pregnancy	139	18.2	14.6	33.5		3.8
	8 Breast feeding initiation	621	80.2	72.5	39.7	♦ O	92.7
	9 Physically active children	9277	63.0	49.6	24.6	\diamond	79.1
	10 Obese children	47	6.3	9.6	14.7	$\diamond \qquad \diamond$	4.7
ΣŚ	11 Tooth decay in children aged 5 years	n/a	0.9	1.1	2.5	♦ •	0.2
	12 Teenage pregnancy (under 18)	44	21.1	40.9	74.8	\diamond	14.9
_	13 Adults who smoke	n/a	16.3	22.2	35.2	♦ ●	10.2
ch and	14 Binge drinking adults	n/a	22.3	20.1	33.2	\bigcirc \diamond	4.6
Adults' health and lifestyle	15 Healthy eating adults	n/a	33.2	28.7	18.3	$\diamond \bigcirc$	48.1
	16 Physically active adults	n/a	12.2	11.2	5.4	○ ◊	16.6
	17 Obese adults	n/a	21.3	24.2	32.8		13.2
	18 Incidence of malignant melanoma	22	19.3	12.6	27.3		3.7
	19 Incapacity benefits for mental illness	1222	23.7	27.6	58.5	\diamond O	9.0
and	20 Hospital stays for alcohol related harm	1608	1110	1580	2860	\diamond	784
Disease and poor health	21 Drug misuse						
Dise	22 People diagnosed with diabetes	3908	4.02	4.30	6.72		2.69
	23 New cases of tuberculosis	3	3	15	110		0
	24 Hip fracture in over-65s	189	517.4	479.2	643.5	\bigcirc \diamond	273.6
	25 Excess winter deaths	80	21.1	15.6	26.3	\circ \diamond	2.3
	26 Life expectancy - male	n/a	79.9	77.9	73.6	\diamond	84.3
and	27 Life expectancy - female	n/a	83.9	82.0	78.8		88.9
ctancy an of death	28 Infant deaths	4	4.84	4.84	8.67	\diamond	1.08
Life expectancy and causes of death	29 Deaths from smoking	165	135.8	206.8	360.3	\diamond	118.7
	30 Early deaths: heart disease & stroke	67	47.2	74.8	125.0	\diamond	40.1
	31 Early deaths: cancer	129	94.2	114.0	164.3	\diamond	70.5
	32 Road injuries and deaths	76	77.9	51.3	167.0		14.6

Indicator Notes

1 % of people in this area living in 20% most deprived areas of England 2007 2 % of children living in families receiving means-tested benefits 2007 3 Crude rate per 1,000 households 2008/09 4 % at Key Stage 4 2008/09 5 Recorded violence against the person crimes crude rate per 1,000 population 2008/09 6 Total end user CO₂ emissions per capita (tonnes CO₂ per resident) 2007 7 % of mothers smoking in pregnancy where status is known 2008/09 8 % of mothers initiating breast feeding where status is known 2008/09 9 % of year 1-13 pupils who spend at least 3 hours per week on high quality PE and school sport 2008/09 10 % of school children in reception year 2008/09 11 Weighted mean number of teeth per 5 yr old child sampled that were actively decayed, missing or filled 2007/08 12 Under-18 conception rate per 1,000 females aged 15-17 (crude rate) 2006-2008 (provisional) 13 % adults, modelled estimate using Health Survey for England 2007-2008 15 % adults, modelled estimate using Health Survey for England 2006-2008 16 % aged 16+ 2008/09 17 % adults, modelled estimate using Health Survey for England 2006-2008 18 Directly age standardised rate per 100,000 population 2008/09 (rounded) 21 New Problematic Drug User estimates were not available in time for inclusion 22 % of people on GP registers with a recorded diagnosis of diabetes 2008/09 23 Crude rate per 100,000 population 2006-2008 24 Directly age-standardised rate per 100,000 population for emergency admission 2008/09 25 Ratio of excess winter deaths (observed winter deaths minus expected deaths based on non-winter deaths) to average non-winter deaths 1.08.05- 31.07.08 26 At birth, 2006-2008 27 At birth, 2006-2008 28 Rate per 1,000 live births 2006-2008 31 Directly age standardised rate per 100,000 population under 75, 2006-2008 31 Directly age standardised rate per 100,000 population under 75, 2006-2008 31 Directly age standardised rate per 100,000 population 2006-2008 32 Rate per 100,000 population age 35+, directly age standardised rate 2006-2008 32 Rate per 100

More indicator information is available in The Indicator Guide: www.healthprofiles.info For information on your area contact your regional PHO: www.apho.org.uk

You may use this profile for non-commercial purposes as long as you acknowledge where the information came from by printing 'Source: APHO and Department of Health. © Crown Copyright 2010'.

England