### **East Dorset**


This profile gives a picture of health in this area. It is designed to help local government and health services improve people's health and reduce health inequalities.

Health Profiles are produced every year by the Association of Public Health Observatories.

Visit the Health Profiles website to:

- see profiles for other areas
- use interactive maps
- find more detailed information

#### www.healthprofiles.info



Based on Ordnance Survey material. © Crown Copyright. All rights reserved. DH 100020290 2010. Other map data © Collins Bartholomew.

#### Population 85,900

Mid-2008 population estimate

Source: National Statistics website: www.statistics.gov.uk







#### East Dorset at a glance

- The health of people in East Dorset is good compared to England. Life expectancy for both men and women is higher than the England average, and the rate of early deaths from heart disease and stroke is one of the lowest in England.
- There are inequalities within East Dorset. The life expectancy for women living in the most deprived areas is 5 years less than those in the least deprived areas.
- Rates of early deaths from cancer and from heart disease and stroke have fallen over the last 10 years, and are better than the England average.
- Rates of teenage pregnancy, breastfeeding initiation and the proportion of children who take part in at least 3 hours of school sport a week are all better than the England averages. The proportion of women smoking during pregnancy is worse than the England average.
- Estimated rates of physical activity and obesity in adults are similar to the England averages. The proportion of people diagnosed with diabetes is higher than the England average.
- The rate of new cases of malignant melanoma skin cancer is worse than for England as a whole.
- The Dorset Local Area Agreement has prioritised tackling levels of physical activity, smoking and tobacco control, healthy weight, alcohol misuse and teenage pregnancy.
- For further information, refer to the Annual Public Health Report at www.dorset-pct.nhs.uk or www.dorsetforyou.com





### Deprivation:

### a national view

This map shows differences in deprivation levels in this area based on national quintiles (of the Index of Multiple Deprivation 2007 by Lower Super Output Area). The darkest coloured areas are some of the most deprived areas in England.

This chart shows the percentage of the population in England, this region, and this area who live in each of these quintiles.






## Health inequalities: a local view

This map shows differences in deprivation levels in this area based on local quintiles (of the Index of Multiple Deprivation 2007 by Lower Super Output Area). The darkest coloured areas are the most deprived in this area.

 This chart shows the life expectancy at birth for males and females (2004-2008) for each of the quintiles in this area.



# Health inequalities: changes over time


These graphs show how changes in death rates for this area compare with changes for the whole of England. Data points on the graph are mid-points of 3-year averages of yearly rates. For example the dot labelled 2003 represents the 3-year period 2002 to 2004.

Trend 1 compares rates of death, at all ages and from all causes, in this area with those for England.


Trend 2 compares rates of early death from heart disease and stroke (in people under 75) in this area with those for England.

Trend 3 compares rates of early death from cancer (in people under 75) in this area with those for England.


Trend 2: Early death rates from heart disease and stroke



Trend 1: All age, all cause mortality




Trend 3: Early death rates from cancer



# Health inequalities: **ethnicity**

This chart shows the percentage of pupils by ethnic group in this area who achieved five GCSEs in 2008/09 (A\* to C grades including English and Maths). Comparing results may help find possible inequalities between ethnic groups.



England
East Dorset

Ethnic Groups	% pupils achieved grades	No. of pupils achieved grades		
White	50.1	298		
Mixed				
Asian				
Black				
Chinese/other				

If there are any empty cells in the table this is because data has not been presented where the calculation involved pupil numbers of 0, 1 or 2. Some further groups may not have data presented in order to prevent counts of small numbers being calculated from values for other ethnic groups or areas.

## Health summary for East Dorset

The chart below shows how the health of people in this area compares with the rest of England. This area's result for each indicator is shown as a circle. The average rate for England is shown by the red line, which is always at the centre of the chart. The range of results for all local areas in England is shown as a grey bar. A red circle means that this area is significantly worse than England for that indicator; however, a green circle may still indicate an important public health problem.

- Significantly worse than England average
- O Not significantly different from England average
- Significantly better than England average
- O No significance can be calculated



<sup>+</sup> In the South East Region this represents the Strategic Health Authority average

_		Local No.	Local	Eng	Eng	<b>-</b>
Domain	Indicator	Per Year	Value	Avg	Worst	England Range
Our communities	1 Deprivation	0	0.0	19.9	89.2	<b>♦</b> •
	2 Children in poverty	1529	10.6	22.4	66.5	<b>♦</b> •
	3 Statutory homelessness	7	0.18	2.48	9.37	<b>♦</b> •
	4 GCSE achieved (5A*-C inc. Eng & Maths)	307	50.1	50.9	32.1	<b>○</b> ♦
	5 Violent crime	479	5.6	16.4	36.6	$\Diamond$
	6 Carbon emissions	580	6.8	6.8	14.4	<b>\Q</b>
יטַ סַ	7 Smoking in pregnancy	114	18.2	14.6	33.5	• •
	8 Breast feeding initiation	510	80.2	72.5	39.7	<b>○</b>
n's ar eople alth	9 Physically active children	5101	56.3	49.6	24.6	♦ •
Children's and young people's health	10 Obese children	50	7.9	9.6	14.7	<b>♦</b> •
ی د	11 Tooth decay in children aged 5 years	n/a	0.7	1.1	2.5	♦ • • • • • • • • • • • • • • • • • • •
	12 Teenage pregnancy (under 18)	31	20.5	40.9	74.8	<b>♦</b>
Adults' health and ifestyle	13 Adults who smoke	n/a	14.2	22.2	35.2	<b>♦</b>
	14 Binge drinking adults	n/a	15.8	20.1	33.2	<b>♦</b>
	15 Healthy eating adults	n/a	33.3	28.7	18.3	♦ • • • • • • • • • • • • • • • • • • •
dults' ≡	16 Physically active adults	n/a	13.3	11.2	5.4	♦ ○
∢	17 Obese adults	n/a	22.5	24.2	32.8	
	18 Incidence of malignant melanoma	18	19.2	12.6	27.3	• •
	19 Incapacity benefits for mental illness	625	14.0	27.6	58.5	<b>□</b>
20 Hospital stays for alcohol related harm		1323	978	1580	2860	
Disease and poor health	21 Drug misuse					
Dis	22 People diagnosed with diabetes	4051	4.72	4.30	6.72	• <b>•</b>
	23 New cases of tuberculosis	2	2	15	110	
	24 Hip fracture in over-65s	183	559.0	479.2	643.5	○
	25 Excess winter deaths	48	15.4	15.6	26.3	♦ •
	26 Life expectancy - male	n/a	81.2	77.9	73.6	<b>○</b>
, and ath	27 Life expectancy - female	n/a	85.1	82.0	78.8	$\qquad \qquad \Diamond \qquad \qquad \bigcirc$
expectancy and auses of death	28 Infant deaths	2	2.95	4.84	8.67	<b>○</b>
	29 Deaths from smoking	135	118.7	206.8	360.3	<b>○</b>
Life exp caus	30 Early deaths: heart disease & stroke	56	41.0	74.8	125.0	<b>♦</b>
	31 Early deaths: cancer	113	86.9	114.0	164.3	<b>♦</b>
	32 Road injuries and deaths	64	74.6	51.3	167.0	<b>●</b>   <b>●</b>

#### **Indicator Notes**

1 % of people in this area living in 20% most deprived areas of England 2007 2 % of children living in families receiving means-tested benefits 2007 3 Crude rate per 1,000 households 2008/09 4 % at Key Stage 4 2008/09 5 Recorded violence against the person crimes crude rate per 1,000 population 2008/09 6 Total end user CO<sub>2</sub> emissions per capita (tonnes CO<sub>2</sub> per resident) 2007 7 % of mothers smoking in pregnancy where status is known 2008/09 8 % of mothers initiating breast feeding where status is known 2008/09 9 % of year 1-13 pupils who spend at least 3 hours per week on high quality PE and school sport 2008/09 10 % of school children in reception year 2008/09 11 Weighted mean number of teeth per 5 yr old child sampled that were actively decayed, missing or filled 2007/08 12 Under-18 conception rate per 1,000 females aged 15-17 (crude rate) 2006-2008 (provisional) 13 % adults, modelled estimate using Health Survey for England 2006-2008 14 % adults, modelled estimate using Health Survey for England 2007-2008 15 % adults, modelled estimate using Health Survey for England 2006-2008 18 Directly age standardised rate per 100,000 population 2008/09 17 % adults, modelled estimate using Health Survey for England 2006-2008 18 Directly age standardised rate per 100,000 population 2008/09 (rounded) 21 New Problematic Drug User estimates were not available in time for inclusion 22 % of people on GP registers with a recorded diagnosis of diabetes 2008/09 23 Crude rate per 100,000 population 2006-2008 24 Directly age-standardised rate per 100,000 population 2008/09 25 Ratio of excess winter deaths (observed winter deaths minus expected deaths based on non-winter deaths) to average non-winter deaths 1.08.05- 31.07.08 26 At birth, 2006-2008 27 At birth, 2006-2008 28 Rate per 1,000 live births 2006-2008 31 Directly age standardised rate per 100,000 population under 75, 2006-2008 32 Rate per 100,000 population 2006-2008

More indicator information is available in The Indicator Guide: www.healthprofiles.info For information on your area contact your regional PHO: www.apho.org.uk

You may use this profile for non-commercial purposes as long as you acknowledge where the information came from by printing 'Source: APHO and Department of Health. © Crown Copyright 2010'.